

From: ["Tapia, Cecilia" </O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE:GROUP \(FYDIBOHF23SPDLT\)/CN=RECIPIENTS/CN=61621E8880144978A238A0C450221714-TAPIA.CECILIA>](mailto:Tapia.Cecilia@EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE:GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=61621E8880144978A238A0C450221714-TAPIA.CECILIA)
To: [Carey](#)
[Curtis:Hammerschmidt](#)
[Ron:Hague](#)
[Mark:Brooks](#)
[Karl](#)
CC:
Date: 3/27/2014 9:12:54 AM
Subject: FW: NIOSH - West Lake - ATL Discussion

FYI

From: Field, Jeff
Sent: Thursday, March 27, 2014 10:06 AM
To: Tapia, Cecilia
Subject: FW: NIOSH - West Lake - ATL Discussion

FYI

From: Harman, Erin
Sent: Thursday, March 27, 2014 9:14 AM
To: Jefferson, Matthew
Cc: Field, Jeff; Jordan-Izaguirr, Denise; Hammerschmidt, Ron
Subject: NIOSH - West Lake - ATL Discussion

Matt,

We were notified via email that Sven Rodenbeck, former acting Western Branch Chief, from ATSDR HQ in ATL was contacted by Steven Ahrenholz with the NIOSH Health Hazard Evaluation Team. Apparently NIOSH needed some background on the Bridgeton Landfill, specifically what engineering activities had been done at the landfill. I'm not sure why they would contact Sven for that information or what information he shared as I wasn't present on the call. Sven said he referred them to the MDNR website. Sven said they also discussed the science of landfill smoldering events and how the Bridgeton Landfill is related to West Lake. According to Sven – NIOSH is in the beginning stages of evaluating the request they received from the International Association of Fire Fighters. You can reference the letter I sent Monday for the request.

I hope this information gives a little more clarity to the situation. If you're still interested in having a call with NIOSH, ATSDR, et al, let us know, we'd be happy to participate.

Thanks,
Erin

Erin Harman, REHS
LT U.S. Public Health Service
ATSDR Region 7 Representative
11201 Renner Blvd.
Lenexa, KS 66219
(913) 551-1311 Office
(913) 428-6695 Blackberry